



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The Partner

ROONGTA HOMES LLP

Roongta Supremus, near Chandak circle, Shri Hari Narayan Kute Marg,
Tidke Colony, Nashik. -422002

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/455101/2023 dated 14 Dec 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC24B038MH184108 |
| 2. File No. | SIA/MH/INFRA2/455101/2023 |
| 3. Project Type | New |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | "Elysian" project is Residential and
Commercial project by M/s. Roongta
Homes LLP |
| 7. Name of Company/Organization | ROONGTA HOMES LLP |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 08/02/2024

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/455101/2023
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Roongta Homes LLP.
Opp. Nirmala Convent School,
DK Nagar, Gangapur Road,
Nashik

Subject : Environmental Clearance for “Elysian” project is Residential and Commercial project at S.No.702/6/2, Plot No.1&2, F.P. No.430 as per T.P. scheme II, Opp. Nirmala Convent School, DK Nagar, Gangapur Road, Nashik by M/s. Roongta Homes LLP

Reference : Application no. SIA/MH/INFRA2/455101/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 189th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 275th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 10th January, 2024.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA2/ 455101 /2022
2	Name of Project	“Elysian”- Residential cum Commercial Development by M/s. Roongta Homes LLP.
3	Project category	8a (B2)
4	Type of Institution	Private
5	Project Proponent	M/s. Roongta Homes LLP.
6	Consultant	Enviro Analysts and Engineers Pvt. Ltd.
7	Applied for	Environment Clearance
8	Details of previous EC	NA. Green Field Project
9	Location of the project	S.No.702/6/2, Plot No.1&2, F.P. No.430 as per T.P. scheme II, Opp. Nirmala Convent School, DK Nagar, Gangapur Road, Nashik 422013
10	Latitude and Longitude	Latitude: 20° 1'11.11"N Longitude: 73°45'46.65"E
11	Total Plot Area (m ²)	16,018.00
12	Deductions (m ²)	1,733.68
13	Net Plot area (m ²)	14,284.32
14	Proposed FSI area (m ²)	79,131.43
15	Proposed non-FSI area (m ²)	52,184.33
16	Proposed TBUA (m ²)	1,31,315.76

17	TBUA (m ²) approved by Planning Authority till date	FSI Area: 79,131.43 Non FSI Area: 52,184.33 Total Construction Area: 1,31,315.76 IOD No. A1/IOD/709/2023 dated 27.09.2023		
18	Ground coverage (m ²) & Percentage (%)	5,996.36 & 42 %		
19	Total Project Cost (Rs.)	Rs. 290.0 Cr.		
20	CER as per MoEF & CC circular dated 01/05/2018	CER Shall be implemented as a part of EMP as recommended by SEAC/SEIAA as mentioned in OM F. No. 22-65/2017-IA.III dated September 30, 2020, and its clarification thereof		
21	Details of Building Configuration:			Reason for Modification / Change
	Previous EC / Existing Building	Proposed Configuration		
		Building Name	Number of floors	Height of Bldg. (m)
				Tenements (nos.)
		Wing A	Lower Ground+ Upper Ground +Ground +3 Podium + Recreational Floor + Service Floor +27 Floors	127.15 54
		Wing B	Lower Ground+ Upper Ground +Ground +3 Podium + Recreational Floor + Service Floor +27 Floors	127.15 54
		Wing C	Lower Ground+ Upper Ground +Ground +3 Podium + Recreational Floor + Service Floor +27 Floors	127.15 54
		Wing D	Upper Ground +Ground +3 Podium + Recreational Floor + Service Floor +32 Floors	138.40 64
			Upper Ground +Ground +3	

		Wing E	Podium + Recreational Floor + Service Floor +32 Floors	138.40	64	
		Club House	Ground + 2 Floors	10.95		
22	Total number of tenements	Total:290 Nos. Tenements. & 22 Nos. Shops				
23	Water Budget					
	Dry Season (CMD)	Wet Season (CMD)				
	Fresh Water	Fresh Water	234			
	Recycled	Recycled	118			
	Gardening	Gardening	-			
	Flushing	Flushing	118			
	Total	Total	352			
	Wastewater generation	Wastewater generation	285			
24	Water Storage Capacity for Firefighting / UGT(m ³)	Details of UGT: Domestic: 234 m ³ Flushing water tank: 118 m ³ Fire Fighting UGT: 200 m ³				
25	Source of water	From Nashik Municipal Corporation				
	Rainwater Harvesting (RWH)	Level of the Ground water table:	Pre-Monsoon:9-12 m Post Monsoon:6-8 m			
26		Size and no of RWH tank(s) and Quantity:	NA			
		Quantity and size of recharge pits:	11 Nos. recharge pits of (4 Rooftop & 7 Surface)			
		Details of UGT tanks if any:	Details of UGT: Domestic: 234 m ³ Flushing water tank: 118 m ³ Fire Fighting UGT: 200 m ³			
	Sewage and Wastewater	Sewage generation in CMD:	285 m ³ /day			
27		STP technology:	MBBR Process			
		Capacity of STP (CMD):	1 No. – 320 m ³			
	Solid Waste Management during Construction Phase	Type	Quantity (kg/d)	Treatment / disposal		
		Dry waste:	18	Handed over to Authorized vendor		
		Wet waste:	27			
28		Construction waste	27342 cum	4342 cum Top Soil will be used for Landscaping & plantation of trees. Out of which 10133 cum will be used for plot leveling internal road development & remaining 12867 cum will be sent on another site.		

29	Solid Waste Management during Operational Phase	Type	Quantity (kg/d)	Treatment / disposal
		Dry waste:	623	Handed over to Authorized Agency
		Wet waste:	745	Treated in OWC
		Hazardous waste:	NA	-
		Biomedical waste	NA	-
		E-Waste	12	Handed over to Authorized Recycler
		STP Sludge (dry)	14	Used as manure
30	Green Belt Development	Total RG area (m ²):		1428.43
		Existing trees on plot:		38
		Number of trees to be planted:		179
		Number of trees to be cut:		38
		Number of trees to be transplanted:		0
31	Power requirement:	Source of power supply:		By MSEDCL
		During Construction Phase (Demand Load):		100 kVA
		During Operation phase (Connected load):		5918 KW
		During Operation phase (Demand load):		2690 KW
		Transformer:		630 kVA X 5 Nos.
		DG set		400 kVA 3 No.
		Fuel used		Diesel
32	Details of Energy saving	• Auto Timer control for external & common lighting. • Use of LED lamps in all public/ common areas. • Electronic V3F Drives for Elevators. • Solar PV Panel power for common area lighting.		Total saving by Saving by Solar PV panel is 6.80 % Total saving 21.11 %
33	Environmental Management plan budget during Construction phase	18.07 Lakhs		
34	Environmental Management plan Budget during Operation phase			
	Component	Details	Capital (lakhs)	O&M (lakhs /Y)
	Storm Water	-	-	-
	Sewage treatment	STP 1 No.	19.5	2.0
	Water treatment	NA	-	-
	RWH	11 Nos. RWH pits	22.0	1.0
	Swimming Pool	-	42.0	3
	Solid Waste	OWC1 No.	17.75	4.5
	Hazardous waste	NA	-	-
	E-waste	-	-	-
	Green belt development	-	4.66	1.8

	Energy saving		Solar		87.43		4.37
	Environmental Monitoring		-		From MoEF&CC approved lab		8.30
	Disaster Management + Lightening arrestor		-		739.34		44.33
35	Traffic Management		Type	Required as per DCR	Actual Provided	Area per parking (m ²)	
			4-Wheeler	540	540	12.5	
			2-Wheeler	355	533	2.5	
			Bicycles	-	-	-	
36	Details of Court cases / litigations w.r.t. the project and project location if any.						NA

3. The proposal has been considered by SEIAA in its 275th (Day-1) meeting held on 10th January, 2024. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit copy of IoD.
2. PP to submit mitigation measures for soil erosion.
3. PP to submit details of green belt development plan and geo-tag the trees to be planted offsite.
4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
5. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 1428.43 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. This EC is restricted for Wing D and E up to 127.15 m height only as per CFO NOC.
3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
6. SEIAA after deliberation decided to grant EC for-FSI-79,131.43 m², Non FSI-52,184.33 m², total BUA-1,31,315.76 m². (Plan approval No-TPD/VS/709/2023, dated-27.09.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during

construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.

- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of

stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi

language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in

- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

- 4. The environmental clearance is being issued without prejudice to the action initiated under

EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Nashik.
6. Commissioner, Nashik Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Nashik.

