



सत्यमेव जयते

File No: SIA/MH/INFRA2/558132/2025

Government of India

Ministry of Environment, Forest and Climate Change

(Issued by the State Environment Impact Assessment Authority(SEIAA),
MAHARASHTRA)



Dated: 12/02/2026



To,

Shri Akhil Roongta
SHREE TIRUMALA BUILDCON
SHOP NO. 5, SHREE TIRUMALA ASHIRWAD APARTMENT, OPP. BALBHARTI OFFICE,
PETHE NAGAR ROAD, NASHIK - 422009, MAHARASHTRA, Nashik, NASHIK,
MAHARASHTRA, 422009
caakhilroongta@gmail.com

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Environmental Clearance for Proposed Commercial Project at S. NO.778/2/B of Shiwar-Nashik, Dist. Nashik proposed by Shree Tirumala Buildcon. submitted to Ministry vide proposal number SIA/MH/INFRA2/558132/2025 dated 18/11/2025.

2. The particulars of the proposal are as below:

(i) EC Identification No.	EC25C3802MH5313195N
(ii) File No.	SIA/MH/INFRA2/558132/2025
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction Environmental Clearance for Proposed Commercial Project at S. NO.778/2/B of Shiwar- Nashik, Dist. Nashik proposed by Shree Tirumala Buildcon.
(vii) Name of Project	SHREE TIRUMALA BUILDCON
(viii) Name of Company/Organization	NASHIK, MAHARASHTRA
(ix) Location of Project (District, State)	SEIAA
(x) Issuing Authority	no
(xi) Applicability of General Conditions	no
(xii) Applicability of Specific Conditions	no

Plot/Survey Khasra Nos.: S.NO.778/2/B of Shiwar-Nashik , Dist. Nashik , State. Maharashtra

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.
4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority(SEIAA) Appraisal Committee of SEIAA in the meeting held on 21/01/2026. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 21/01/2026, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. Shri Akhil Roongta under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Specific


S. No	EC Conditions
1.1	<ol style="list-style-type: none"> 1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same. 2. PP to prepare and implement plan to make proposed project a plastic free zone. 3. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that the water proposed to be used for construction phase should not be drinking water. 4. PP and the planning authority shall ensure that the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time. 5. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.

S. No	EC Conditions
	6. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.

Annexure 2

Details of Products & By-products

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
FSI Area	FSI Area	32222.83	sqm	-	
Non FSI Area	Non FSI Area	20375.74	sqm	-	
Total Built-Up Area	Total Built-Up Area	52598.57	sqm	-	



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/558132/2025
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032

To
Shree Tirumala Buildcon
S. NO.778/2/B of Shiwar-Nashik, Dist. Nashik

Subject: Environmental Clearance for Proposed Commercial Project at S. NO.778/2/B of Shiwar-Nashik, Dist. Nashik proposed by Shree Tirumala Buildcon.

Reference : Application no. SIA/MH/INFRA2/558132/2025

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 242nd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 318th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 19th January 2026

2. Brief Information of the project submitted by you is as below: -

1	Proposal Number	SIA/MH/INFRA2/558132/2025
2	Name of Project	Environmental Clearance for Proposed Commercial Project "Roongta Techone" at S. NO.778/2/B of Shiwar-Nashik, Dist. Nashik proposed by Shree Tirumala Buildcon.
3	Project category	8a (B2)
4	Type of Institution	Partnership
5	Project Proponent	Shree Tirumala Buildcon
6	Consultant	Enviro Analysts and Engineers Pvt. Ltd. NABET Accreditation number – NABET/EIA/24-27/RA 0355 Validity – 19 th June 2027
7	Applied for	New Greenfield Project
8	Details of previous EC	-
9	Location of the project	S.NO.778/2/B of Shiwar-Nashik, Dist. Nashik, State. Maharashtra
10	Latitude and Longitude	Latitude: 19°59'14.20"N Longitude: 73°46'17.11"E
11	Total Plot Area (m ²)	5,327.00
12	Deductions (m ²)	00
13	Net Plot area	5,327.00

	(m ²)							
14	Proposed FSI area (m ²)	32,222.83						
15	Proposed non-FSI area (m ²)	20,375.74						
16	Proposed TBUA (m ²)	52,598.57						
17	TBUA (m ²) approved by Planning Authority till date	TBUA - 52,598.57 m ² Layout Approval vide no. B2/BP/93/2025 dated 27.01.2025						
18	Ground coverage (m ²) & Percentage (%)	2150.97 sqm; Percentage – 43%						
19	Total Project Cost (Rs.)	Rs. 114.72 Cr						
20	CER as per MoEF & CC circular dated 01/05/2018	CER Shall be implemented as a part of EMP as recommended by SEAC/SEIAA as mentioned in OM F. No. 22-65/2017-IA.III dated September 30, 2020, and its clarification thereof						
21	Details of Building Configuration: <Please use following legends: Floor = F, Parking = Pk, Podium = Po, Stilt =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>	Reason for Modification / Change						
	Previous EC / Existing Building:	Proposed Configuration						
		<table border="1"> <thead> <tr> <th>Building name</th> <th>Configuration</th> <th>Height (m)</th> </tr> </thead> <tbody> <tr> <td>Commercial Building</td> <td>Basement 1,2,3 + Ground floor +1st, 2nd, 3rd floor (P1+P2+P3+P4 for Parking) + 4th to 18th Floor</td> <td>69.95</td> </tr> </tbody> </table>	Building name	Configuration	Height (m)	Commercial Building	Basement 1,2,3 + Ground floor +1st, 2nd, 3rd floor (P1+P2+P3+P4 for Parking) + 4th to 18th Floor	69.95
Building name	Configuration	Height (m)						
Commercial Building	Basement 1,2,3 + Ground floor +1st, 2nd, 3rd floor (P1+P2+P3+P4 for Parking) + 4th to 18th Floor	69.95						
22	Total number of tenements	347 Commercial Units Shops: 08, Offices: 314, Convenience Shops: 25.						
23	Water Budget							
	Dry Season (CMD)	Wet Season (CMD)						
	Fresh Water	Fresh Water 67						
	Recycled	Recycled 64						
	Gardening	Gardening -						
	Flushing	Flushing 64						
	Total	Total 131						
	Wastewater generation	Wastewater generation 120						
24	Water Storage	Details of UGT:						

	Capacity for Firefighting / UGT(m ³)	Domestic: 160 KLD Fire Fighting Tank: 200 KLD																	
25	Source of water	Nashik Municipal Corporation																	
26	Rainwater Harvesting (RWH)	Level of the Ground water table:	Pre-Monsoon:08-10 m Post Monsoon: 10-12 m																
		Size and no of RWH tank(s) and Quantity:	NA																
		Quantity and size of recharge pits:	4 Nos. of recharge pits with size 1.5m x 2.0m x 3.0m																
		Details of UGT tanks if any:	Details of UGT: Domestic: 160 KLD Fire Fighting Tank: 200 KLD																
27	Sewage and Wastewater	Sewage generation in CMD:	120 m ³ /day																
		STP technology:	MBBR Process																
		Capacity of STP (CMD):	132 m ³ /day																
28	Solid Waste Management during Construction Phase	<table border="1"> <thead> <tr> <th>Type</th> <th>Quantity (kg/d)</th> <th>Treatment / disposal</th> </tr> </thead> <tbody> <tr> <td>Dry waste:</td> <td>9</td> <td rowspan="2">Handed over to Authorized vendor</td> </tr> <tr> <td>Wet waste:</td> <td>4</td> </tr> </tbody> </table>	Type	Quantity (kg/d)	Treatment / disposal	Dry waste:	9	Handed over to Authorized vendor	Wet waste:	4	The total construction waste consists of 800 cum of Topsoil and 33215 cum of excavation debris. The total topsoil will be used for Landscaping whereas, 2215 cum of excavation debris will be reused in internal plot works & remaining debris will be utilized on another plot respectively.								
		Type	Quantity (kg/d)	Treatment / disposal															
		Dry waste:	9	Handed over to Authorized vendor															
		Wet waste:	4																
Construction waste	34015 cum																		
29	Solid Waste Management during Operational Phase	<table border="1"> <thead> <tr> <th>Type</th> <th>Quantity (kg/d)</th> <th>Treatment / disposal</th> </tr> </thead> <tbody> <tr> <td>Dry waste:</td> <td>467</td> <td>Will be handed over to Municipal disposal system</td> </tr> <tr> <td>Wet waste:</td> <td>332</td> <td>Will be treated in OWC</td> </tr> <tr> <td>E-Waste</td> <td>16</td> <td>Will be handed over to Authorized Recycler</td> </tr> <tr> <td>STP Sludge (dry)</td> <td>6</td> <td>Used as manure</td> </tr> </tbody> </table>	Type	Quantity (kg/d)	Treatment / disposal	Dry waste:	467	Will be handed over to Municipal disposal system	Wet waste:	332	Will be treated in OWC	E-Waste	16	Will be handed over to Authorized Recycler	STP Sludge (dry)	6	Used as manure		
		Type	Quantity (kg/d)	Treatment / disposal															
		Dry waste:	467	Will be handed over to Municipal disposal system															
		Wet waste:	332	Will be treated in OWC															
		E-Waste	16	Will be handed over to Authorized Recycler															
STP Sludge (dry)	6	Used as manure																	
30	Green Belt Development	Total RG area (m ²):	229.40 m ² (Landscape Area)																
		Existing trees on plot:	----																

		Number of trees to be planted:	69																																				
		Number of trees to be cut:	----																																				
		Number of trees to be transplanted:	----																																				
31	Power requirement:	Source of power supply:	MSEDCL																																				
		During Construction Phase (Demand Load):	100 kVA																																				
		During Operation phase (Connected load):	4979 kW																																				
		During Operation phase (Demand load):	2265 kW																																				
		Transformer:	1500 kVA X 2 No.																																				
		DG set	1500 kVA X 2 No.																																				
		Fuel used	Diesel																																				
32	Details of Energy saving	<ul style="list-style-type: none"> • Auto Timer control for external & common lighting. • Use of LED lamps in all public/ common areas. • Solar PV panels to be provided. • Electronic V3F Drives for Elevators. 	Total 20.3% Project saving Total 5.6% Solar saving.																																				
33	Environmental Management plan budget during Construction phase	<table border="1"> <thead> <tr> <th>Type</th> <th>Details</th> <th>Capital Cost In lakhs (Rs.)</th> <th>O&M Cost In lakhs (Rs. /Year)</th> </tr> </thead> <tbody> <tr> <td>Air Environment</td> <td>Water sprinkling, green belt development, covered storage area</td> <td>15.40</td> <td>14.40</td> </tr> <tr> <td>Noise Environment</td> <td>Noise barricades and green belt developments</td> <td>123.85</td> <td>4.90</td> </tr> <tr> <td>Water Environment</td> <td>Mobile Toilets, Mobile STP drainage with sedimentation tanks</td> <td>3.00</td> <td>5.90</td> </tr> <tr> <td>Good health practices</td> <td>Site sanitation and health care</td> <td>1.50</td> <td>9.00</td> </tr> <tr> <td>Environment monitoring</td> <td>Air, water, noise soil monitoring during construction phase</td> <td>---</td> <td>2.00</td> </tr> <tr> <td>Green Belt Development</td> <td>Tree Plantation during construction phase</td> <td>4.00</td> <td>1.00</td> </tr> <tr> <td>Air Quality Monitoring system</td> <td>OLM system</td> <td>8.50</td> <td>0.50</td> </tr> <tr> <td>Total</td> <td></td> <td>156.25</td> <td>37.70</td> </tr> </tbody> </table>	Type	Details	Capital Cost In lakhs (Rs.)	O&M Cost In lakhs (Rs. /Year)	Air Environment	Water sprinkling, green belt development, covered storage area	15.40	14.40	Noise Environment	Noise barricades and green belt developments	123.85	4.90	Water Environment	Mobile Toilets, Mobile STP drainage with sedimentation tanks	3.00	5.90	Good health practices	Site sanitation and health care	1.50	9.00	Environment monitoring	Air, water, noise soil monitoring during construction phase	---	2.00	Green Belt Development	Tree Plantation during construction phase	4.00	1.00	Air Quality Monitoring system	OLM system	8.50	0.50	Total		156.25	37.70	
		Type	Details	Capital Cost In lakhs (Rs.)	O&M Cost In lakhs (Rs. /Year)																																		
		Air Environment	Water sprinkling, green belt development, covered storage area	15.40	14.40																																		
		Noise Environment	Noise barricades and green belt developments	123.85	4.90																																		
		Water Environment	Mobile Toilets, Mobile STP drainage with sedimentation tanks	3.00	5.90																																		
		Good health practices	Site sanitation and health care	1.50	9.00																																		
		Environment monitoring	Air, water, noise soil monitoring during construction phase	---	2.00																																		
		Green Belt Development	Tree Plantation during construction phase	4.00	1.00																																		
		Air Quality Monitoring system	OLM system	8.50	0.50																																		
		Total		156.25	37.70																																		
34	Environmental Management	<table border="1"> <thead> <tr> <th>Component</th> <th>Details</th> <th>Capital</th> <th>O&M</th> </tr> </thead> </table>	Component	Details	Capital	O&M																																	
Component	Details	Capital	O&M																																				

plan Budget during Operation phase				(Rs. In lakhs)	(Rs.in lakhs /Y)	
	Storm Water	-	-	-	-	
	Sewage treatment	1 No. STP	57	10		
	Water treatment	NA	-	-		
	RWH	4 Nos. RWH pits	12	01		
	Swimming Pool	-				
	Solid Waste	1 No. OWC	14	04		
	Hazardous waste	NA	-	-		
	E-waste	-	-	-		
	Green belt development	69 Trees	10	02		
	Energy saving	Solar & LED	68	02		
	Environmental Monitoring	-	From MoEF & CC approved lab	01		
	Disaster Management + Lightning arrestor		416	31		
35	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)	
		4-Wheeler	326	326	12.5	
		2-Wheeler	1280	1282	2.5	
36	Details of Court cases / litigations w.r.t. the project and project location if any.					NA

3. Proposal has been considered by SEIAA in its 318th (Day-1) meeting held on 19th January 2026 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

SEAC Conditions-

1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same.
2. PP to prepare and implement plan to make proposed project a plastic free zone.
3. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that the water proposed to be used for construction phase should not be drinking water.

4. PP and the planning authority shall ensure that the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time.
5. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
6. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source

SEIAA Conditions-

1. PP has provided mandatory RG area of 506.06 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. Air Quality Index monitoring to be ensured. Dust suppression measures shall be implemented also considering height of the building. Additional measures to be ensured.
5. In view of Maharashtra Electric Vehicle Policy, 2025, PP to provide electric vehicle D. C. Charger for 20 % of total parking provided, the number of D. C. Chargers should be worked out as provided in Niti Ayog Handbook of EV charging infrastructure implementation.
6. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
7. SEIAA after deliberation decided to grant EC for- FSI area of 32,222.83 m², Non FSI area of 20,375.74 m² and total BUA of 52,598.57m². (Plan approval No-B2/BP/93/2025 dated 27.01.2025)

General Conditions:

a) Construction Phase: -

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely;

SPM, RSPM. SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions: -

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance

without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Jayashree Bhoj (IAS)
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Nashik.
6. Commissioner, Nashik Municipal Corporation.
7. Regional Officer, Maharashtra Pollution Control Board, Nashik.